

ATTESTATION OF CONFORMITY

Issued to: Ningbo Sun Earth East Solar Co., Ltd.
Room 01, Building 9, No.9, Chenshan West Road, Xiaogang Sub-district, Beilun
District 315803 Ningbo City Zhejiang, China

For the product: Mono/Poly Crystalline Silicon PV Modules

Trade name: Sun-Earth
Type/Model: see annex for details

Ratings: Maximum System Voltage: 1500 V; Protection Class: Class II; Pollution Degree: 1

Manufactured by: Ningbo Sun Earth East Solar Co., Ltd.
Room 01, Building 9, No.9, Chenshan West Road, Xiaogang Sub-district, Beilun
District 315803 Ningbo City Zhejiang, China

Requirements: EN 61215-1:2016
EN 61215-1-1:2016
EN 61215-2:2017
EN IEC 61730-1:2018
EN IEC 61730-1:2018/AC: 2018-06
EN IEC 61730-2:2018
EN IEC 61730-2:2018/AC: 2018-06

This Attestation is granted on account of an examination by DEKRA, the results of which are laid down in a confidential file no. 6065570A.52A and 6065570A.52B.

This Attestation implies that the examined types are in accordance with the standards designated under the Low Voltage Directive (LVD) 2014/35/EU.

The examination has been carried out on one single specimen or several specimens of the product, submitted by the manufacturer. The Attestation does not include an assessment of the manufacturer's production. Conformity of his production with the specimen tested by DEKRA is not the responsibility of DEKRA.

The CE marking may be affixed on the product if all relevant and effective EC directives are complied with.

Shanghai, 31 March 2022

Number: 6065570.05AOC

DEKRA Testing and Certification (Shanghai) Ltd.

C. Lin
Certification Manager

© Integral publication of this attestation and adjoining reports is allowed

Page 1 of 3



Annex

Document no. : 6065570.05AOC

Product data – type DXM5-72P xxxW

Maximum System Voltage : 1000V
Design : PV module with mono c-Si cells
Description : xxx=180-220, in steps of 5, 72 cells

Product data – type DXM5-36P xxxW

Maximum System Voltage : 1000V
Design : PV module with mono c-Si cells
Description : xxx=090-110, in steps of 5, 36 cells

Product data – type DXM6-72P xxxW

Maximum system voltage : 1000V
Design : PV module with mono c-Si cells
Description : xxx=330-405, in steps of 5, 72 cells

Product data – type DXM6-60P xxxW

Maximum System Voltage : 1000V
Design : PV module with mono c-Si cells
Description : xxx=275-335, in steps of 5, 60 cells

Product data – type DXM6-36P xxxW

Maximum System Voltage : 1000V
Design : PV module with mono c-Si cells
Description : xxx=165-200, in steps of 5, 36 cells

Product data – type DXP6-72P xxxW

Maximum system voltage : 1000V
Design : PV module with poly c-Si cells
Description : xxx=280-350, in steps of 5, 72 cells

Product data – type DXP6-60P xxxW

Maximum system voltage : 1000V
Design : PV module with poly c-Si cells
Description : xxx=230-290, in steps of 5, 60 cells

Product data – type DXP6-36P xxxW

Maximum system voltage : 1000V
Design : PV module with poly c-Si cells
Description : xxx=140-175, in steps of 5, 36 cells

Product data – type DXM6-72G xxxW

Maximum System Voltage : 1500V
Design : PV module with mono c-Si cells
Description : xxx=380-415, in steps of 5, 72 cells

Product data – type DXM6-60G xxxW

Maximum System Voltage : 1500V
Design : PV module with mono c-Si cells
Description : xxx=320-345, in steps of 5, 60 cells

Product data – type DXM6-72H xxxW

Maximum system voltage : 1500V
Design : PV module with mono c-Si cells
Description : xxx=380-415, in steps of 5, 144 cells

Product data – type DXM6-60H xxxW

Maximum System Voltage : 1500V
Design : PV module with mono c-Si cells
Description : xxx=320-345, in steps of 5, 120 cells

Product data – type DXM7-72H xxxW

Maximum System Voltage : 1500V
Design : PV module with mono c-Si cells
Description : xxx=410-455, in steps of 5, 144 cells

Product data – type DXM7-60H xxxW

Maximum system voltage : 1500V
Design : PV module with mono c-Si cells
Description : xxx=345-380, in steps of 5, 120 cells

Product data – type DXM8-72H xxxW

Maximum system voltage : 1500V
Design : PV module with mono c-Si cells
Description : xxx=475-550, in steps of 5, 144 cells

Product data – type DXM8-66H xxxW

Maximum system voltage : 1500V
Design : PV module with mono c-Si cells
Description : xxx=435-505, in steps of 5, 132 cells

Product data – type DXM8-60H xxxW

Maximum system voltage : 1500V
Design : PV module with mono c-Si cells
Description : xxx=400-455, in steps of 5, 120 cells

Product data – type DXM8-54H xxxW

Maximum system voltage : 1500V
Design : PV module with mono c-Si cells
Description : xxx=400-415, in steps of 5, 108 cells